

EGA #3

Valori emogas			
↓ pH	7,311		[7,325 - 7,450]
pCO ₂	38,9	mmHg	[35,0 - 45,0]
cHCO ₃ ⁻ (P),c	19,6	mmol/L	
ABE,c	-6,2	mmol/L	
SBE,c	-6,6	mmol/L	
Valori ossimetrici			
pO ₂	71,0	mmHg	
pO ₂ (a)/FO ₂ (l),c	101	mmHg	
ctHb	14,0	g/dL	
FO ₂ Hb	91,9	%	
sO ₂	93,7	%	
FCOHb	1,1	%	
FMetHb	0,8	%	
FHHb	6,2	%	
Valori elettroliti			
cK ⁺	4,1	mmol/L	[3,5 - 4,5]
cNa ⁺	137	mmol/L	[136 - 144]
↓ cCa ²⁺	1,04	mmol/L	[1,10 - 1,40]
cCl ⁻	107	mmol/L	[98 - 107]
Anion Gap,K ⁺ ,c	14,6	mmol/L	
Valori metaboliti			
↑ cGlu	142	mg/dL	[74 - 100]
cLac	2,9	mmol/L	
ctBil	0	umol/L	

MC/2... M

EGA #1

Valori emogas			
↓ pH	7,207		[7,325 - 7,450]
↑ pCO ₂	73,5	mmHg	[35,0 - 45,0]
cHCO ₃ ⁻ (P),c	29,2	mmol/L	
ABE,c	0,2	mmol/L	
SBE,c	1,3	mmol/L	
Valori ossimetrici			
pO ₂	144	mmHg	
pO ₂ (a)/FO ₂ (l),c	686	mmHg	
ctHb	9,6	g/dL	
FO ₂ Hb	96,8	%	
sO ₂	99,3	%	
FCOHb	1,5	%	
FMethHb	1,0	%	
FHHb	0,7	%	
Valori elettroliti			
cK ⁺	4,2	mmol/L	[3,5 - 4,5]
cNa ⁺	136	mmol/L	[136 - 144]
cCa ²⁺	1,23	mmol/L	[1,10 - 1,40]
cCl ⁻	102	mmol/L	[98 - 107]
Anion Gap,K ⁺ ,c	9,0	mmol/L	
Valori metaboliti			
↑ cGlu	133	mg/dL	[74 - 100]
cLac	0,4	mmol/L	
ctBil	0	umol/L	

MS/Quinone

EGA #2

Valori emogas				
pH	7,394		[7,325 - 7,450]	
↑ pCO ₂	61,4	mmHg	[35,0 - 45,0]	
cHCO ₃ ⁻ (P),c	37,5	mmol/L		
ABE,c	10,6	mmol/L		
SBE,c	12,6	mmol/L		
Valori ossimetrici				
pO ₂	35,4	mmHg		
pO ₂ (a)/FO ₂ (l),c	142	mmHg		
ctHb	10,8	g/dL		
FO ₂ Hb	63,6	%		
sO ₂	65,3	%		
FCOHb	2,2	%		
FMethHb	0,4	%		
FHHb	33,8	%		
Valori elettroliti				
↓ cK ⁺	3,4	mmol/L	[3,5 - 4,5]	
cNa ⁺	143	mmol/L	[136 - 144]	
cCa ²⁺	1,22	mmol/L	[1,10 - 1,40]	
cCl ⁻	98	mmol/L	[98 - 107]	
Anion Gap,K ⁺ ,c	10,3	mmol/L		
Valori metaboliti				
↑ cGlu	112	mg/dL	[74 - 100]	
cLac	0,5	mmol/L		
ctBil	0	umol/L		

 

